

Proposal for a Council Regulation amending Regulation (EC) No 1255/96 temporarily suspending the autonomous common customs tariff duties on certain industrial, agricultural and fishery products

(2002/C 203 E/18)

COM(2002) 198 final

(Submitted by the Commission on 22 April 2002)

THE COUNCIL OF THE EUROPEAN UNION,

HAS ADOPTED THIS REGULATION:

Having regard to the Treaty establishing the European Community, and in particular Article 26 thereof,

Article 1

Having regard to the proposal from the Commission,

The Annex to Regulation (EC) No 1255/96 is amended as follows:

Whereas:

(1) It is in the interest of the Community to suspend partially or totally the autonomous common customs tariff duties for a number of new products not listed in the Annex to Council Regulation (EC) No 1255/96 ⁽¹⁾.

1. the products set out in Annex I to this Regulation are inserted;

(2) A number of products should be withdrawn from the list in the Annex to the said Regulation because it is no longer in the Community's interest to maintain suspension of autonomous common customs tariff duties or because the description needs to be altered in the light of technical developments.

2. the products for which the codes are set out in Annex II to this Regulation are deleted.

Article 2

(3) Products whose description needs to be altered should be regarded as new products.

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

(4) Council Regulation (EC) No 1255/96 should be amended accordingly,

It shall apply with effect from 1 July 2002.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

⁽¹⁾ OJ L 158, 29.6.1996, p. 1. Regulation last amended by Regulation (EC) No 2499/2001 (OJ L 340, 21.12.2001, p. 1).

ANNEX I

CN code & TARIC		Description	Rate of autonomous duty (%)
0017	ex 0811 90 95 30	Pineapple (<i>Ananas comosus</i>), in pieces, frozen	0
0018	ex 0811 90 95 20	Boysenberries, frozen, not containing added sugar, not put up for retail sale	0
0021	ex 1511 90 19 10 ex 1511 90 91 10 ex 1513 11 10 10 ex 1513 19 30 10 ex 1513 21 11 10 ex 1513 29 30 10	Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of: — industrial monocarboxylic fatty acids of subheading 3823 19 10, — mixtures of methyl esters of fatty acids of subheading 3824 90 95, — methyl esters of fatty acids of heading 2915 or 2916, — stearic acid of subheading 3823 11 00 or — goods of heading No 3401 ^(a)	0
0028	ex 2005 90 80 70	Bamboo shoots, prepared or preserved, shredded, not put up for retail sale	0
0060	ex 2850 00 20 20	Arsine	0
0117	ex 2914 29 00 20	Cyclohexadec-8-enone	0
0182	ex 2921 30 99 20	Cyclohex-1,3-ylenebis(methylamine), for the manufacture of products for dishwashing machine ^(a)	0
0193	ex 2921 49 80 20	N-1-Naphthylaniline	0
0219	ex 2922 39 00 40	1,4-Diamino-2,3-dichloroanthraquinone	0
0234	ex 2924 29 95 65	2-(4-Hydroxyphenyl)acetamide	0
0321	ex 2932 29 80 70	3',6'-Bis(ethylamino)-2',7'-dimethylspiro[isobenzofuran-1(3H),9'-[9H]-xanthen]-3-one	0
0322	ex 2933 99 90 75	2,3-Dichloropyrazine	0
0327	ex 2933 29 90 50	1,3-Dimethylimidazolidin-2-one	0
0341	ex 2933 59 95 60	2,6-Dichloro-4,8-dipiperidinopyrimido[5,4-d]pyrimidine	0
0342	ex 2933 59 95 70	N-(4-Ethyl-2,3-dioxopiperazin-1-ylcarbonyl)-D-2-phenylglycine	0
0343	ex 2933 59 95 80	N-(4-Ethyl-2,3-dioxopiperazin-1-ylcarbonyl)-D-2-(4-hydroxyphenyl)glycine	0
0354	ex 2933 99 90 80	1-Methyltetrazole-5-thiol	0
0371	ex 2934 20 80 20	S-(1,3-Benzothiazol-2-yl) (Z)-2-(2-aminothiazol-4-yl)-2-(methoxyimino)thioacetate	0
0372	ex 2934 99 90 60	DL-Homocysteine thiolactone hydrochloride	0
0398a	ex 3204 19 00 15	4-{4-[3-(4-Methoxyphenyl)-1,3,13-dimethyl-3,13-dihydrobenzo=[h]indeno[2,1-f]chromen-3-yl]phenyl}morpholine ^(a)	0
0398b	ex 3204 19 00 25	Cyclohexyl 8-methyl-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate ^(a)	0
0398c	ex 3204 19 00 35	1,3-Butyl-1,3-ethoxy-6,11-dimethoxy-3,3-bis(4-methoxyphenyl)-3,13-dihydrobenzo=[h]indeno[2,1-f]chromene ^(a)	0
0398d	ex 3204 19 00 45	6,7-Dimethoxy-3,3-bis(4-methoxyphenyl)-1,3,13-dimethyl-3,13-dihydrobenzo=[h]indeno[2,1-f]chromene ^(a)	0
0406	ex 3206 19 00 10	Preparation based on titanium dioxide, containing by weight 66 % or more but not more than 71 % of titanium dioxide and 1 % or more but not more than 2 % of isopropoxytitanium triisostearate	0

CN code & TARIC		Description	Rate of autonomous duty (%)
0416	ex 3208 90 99 20	Solution based on chemically modified natural polymers, containing two or more of the following dyes: — 4-[4-(1,3,13-dimethyl-3-phenyl-3,13-dihydrobenzo=[h]indeno[2,1-f]chromen-3-yl)phenyl]morpholine, — 4-[4-[3-(4-methoxyphenyl)-1,3,13-dimethyl-3,13-dihydrobenzo=[h]indeno[2,1-f]chromen-3-yl]phenyl]morpholine, — cyclohexyl 8-methyl-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate, — ethoxycarbonylmethyl 6-acetoxy-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate, — 2-pentyl-7,7-diphenyl-7,8-benzochromeno[6,5-d]-1,3-dioxin-4(7H)-one, — 1,3-butyl-1,3-ethoxy-6,11-dimethoxy-3,3-bis(4-methoxyphenyl)-3,13-dihydrobenzo=[h]indeno[2,1-f]chromene, — 3-(4-methoxyphenyl)-1,3,13-dimethyl-3-phenyl-3,13-dihydrobenzo=[h]indeno[2,1-f]chromene, — 6,7-dimethoxy-3,3-bis(4-methoxyphenyl)-1,3,13-dimethyl-3,13-dihydrobenzo=[h]indeno[2,1-f]chromene	0
0443	ex 3808 20 80 30	Preparation consisting of a suspension of pyrrithione zinc (INN) in water, containing by weight 24 % or more but not more than 26 % of pyrrithione zinc (INN)	0
0498	ex 3824 90 99 81	Calcium oxide stabilised zirconia in the form of lumps of which 94 % or more by weight is retained on a 16 mm sieve, containing by weight: — 92 % or more of zirconium dioxide and — 2 % or more but not more than 6 % of calcium oxide	0
0499	ex 3824 90 99 82 ex 3907 40 00 20	α -(2,4,6-Tribromophenyl)- ω -(2,4,6-tribromophenoxy)poly[oxy(2,6-dibromo-1,4-phenylene)isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl]	0
0600	ex 3905 29 00 91	Copolymer of vinyl acetate, dibutyl maleate and acrylic acid, in the form of a solution in isopropyl acetate and toluene	0
0609	ex 3906 90 90 70	Copolymer of ethylene dimethacrylate with either methyl methacrylate or dodecyl methacrylate	0
0617	ex 3906 90 90 50	Polymers of esters of acrylic acid with one or more of the following monomers in the chain: — chloromethyl vinyl ether, — chloroethyl vinyl ether, — chloromethylstyrene, — vinyl chloroacetate, — methacrylic acid, containing by weight not more than 5 % of each of the monomeric units	0
0631	ex 3907 60 80 10	Copolymer of terephthalic acid and isophthalic acid with ethylene glycol, butane-1,4-diol and hexane-1,6-diol	0
0632	ex 3907 60 80 20	Oxygen binding copolymer (as determined by the ASTM D 1434 and 3985 methods), obtained from benzenedicarboxylic acids, ethylene glycol and polybutadiene substituted by hydroxy groups	0
0639	ex 3906 90 90 80	Polydimethylsiloxane-graft-(polyacrylates; polymethacrylates)	0
0643	ex 3911 90 99 60	Hydrocarbon prepolymer, obtained by the reaction of cyclopentadiene and 1,3-pentadiene	0
0660	ex 3917 32 31 91 ex 3917 32 99 10 ex 3926 90 99 45	Assembly of heat-shrinkable tubing of polyethylene with poly(vinyl acetate), arranged in parallel at equally spaced intervals and attached at one or both ends by perforated plastic strips, in rolls	0
0676	ex 3926 90 99 55	Flat product of polyethylene, perforated in opposing directions, of a thickness of 600 μm or more but not exceeding 1 200 μm and of a weight of 21 g/m ² or more but not exceeding 42 g/m ²	0
0731	ex 3921 14 00 10	Cellular film of regenerated cellulose, of a thickness not exceeding 350 μm	0

CN code & TARIC		Description	Rate of autonomous duty (%)
0744	ex 4007 00 00 20	Extruded natural rubber thread, free from nitrosamine, for use in the food industry ^(a)	0
0745	ex 4007 00 00 30	Extruded natural rubber thread, coated with silicone and talc	0
0753	ex 4803 00 90 10 ex 5603 13 90 80 ex 5603 93 90 30	Polyethylene non-woven, covered on both sides with a non-woven of polypropylene and wood pulp, containing by weight 45 % or more but not more than 56 % of wood pulp, of a weight of 70 g/m ² or more but not exceeding 90 g/m ² , in rolls, for use in the manufacture of wet wipes ^(a)	0
0784	ex 5503 90 10 10 ex 5503 90 90 30	Acetalized, multicomponent spun fibres with a matrix fibril structure, consisting of emulsion-polymerized poly(vinyl alcohol) and poly(vinyl chloride)	0
0826	ex 7019 12 00 15	Rovings, measuring 650 tex or more but not more than 2 500 tex, coated with a layer of polyurethane whether or not mixed with other materials	0
0844	ex 7419 99 00 91 ex 7616 99 90 60	Disc (target) with deposition material, consisting of molybdenum silicide: — containing 1 mg/kg or less of sodium and — mounted on a copper or aluminium support	0
0002	ex 8408 90 31 10	Diesel engines of a power not exceeding 15 kW, with 2 or 3 cylinders, for use in the manufacture of vehicle mounted temperature control systems ^(a)	0
0003	ex 8408 90 33 10	Diesel engines of a power not exceeding 30 kW, with 4 cylinders, for use in the manufacture of vehicle mounted temperature control systems ^(a)	0
0004	ex 8414 30 99 10	Open shaft reciprocating compressor, for use in the manufacture of vehicle mounted temperature control systems ^(a)	0
0018	ex 8454 30 90 10	Machines for injection moulding of metal alloys in thixotropic form (semi-solid), for the manufacture of metal parts of subheading 8473 30 90 or 8529 90 40 ^(a)	0
0049	ex 8507 80 91 80	Cylindrical nickel-hydride accumulator, of a diameter not exceeding 14,5 mm, for the manufacture of rechargeable batteries ^(a)	0
0073	ex 8522 90 98 44	Assembly for optical discs, comprising at least an optical unit and DC motors, not capable of double layer recording	0
0113	ex 8537 10 99 93	Electronic control units for a voltage of 12 V, for use in the manufacture of vehicle mounted temperature control systems ^(a)	0
0159	ex 8543 90 80 40	Stainless steel cathode in the form of a plate with a hanger bar, whether or not with plastic side strips	0
0192	ex 9027 10 90 10	Sensor element for gas or smoke analysis in motor vehicles, essentially consisting of a zirconium-ceramic element in a metal housing	0
0193	ex 9031 80 34 30 ex 9031 80 39 50	Apparatus for measuring the angle and direction of rotation of motor vehicles, consisting of at least one yaw rate sensor in the form of a monocrystalline quartz, whether or not combined with one or more measuring sensors, the whole contained in a housing	0
0211	ex 9613 90 00 20	Piezo-electric ignition mechanism, whether or not with complementary elements	0
0300	ex 8543 89 95 60	Temperature compensated oscillator, comprising a printed circuit on which are mounted at least a piezo-electric crystal and an adjustable capacitor, contained in a housing	0
0301	ex 8543 89 95 61	Voltage controlled oscillator (VCO), other than temperature compensated oscillators, consisting of active and passive elements mounted on a printed circuit, contained in a housing	0

^(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

ANNEX II

CN code	Taric
ex 1511 90 19	10
ex 1511 90 91	10
ex 1513 11 10	10
ex 1513 19 30	10
ex 1513 21 11	10
ex 1513 29 30	10
ex 2005 90 80	70
ex 2922 19 80	20
ex 3815 90 90	55
ex 3901 90 90	97
ex 3906 90 90	50
ex 3911 90 19	20
ex 5503 90 10	10
ex 5503 90 90	30
ex 7019 12 00	15
ex 7019 12 00	20
ex 7019 12 00	25
ex 7419 99 00	91
ex 7616 99 90	60
ex 8507 80 91	20
ex 8507 80 91	30
ex 8507 80 91	40
ex 8507 80 91	50
ex 8507 80 91	60
ex 8507 80 91	70
ex 8522 90 98	32
ex 8522 90 98	40
ex 8522 90 98	41
ex 8522 90 98	42
ex 8543 89 95	57
ex 8543 90 80	40
ex 9031 80 34	20
ex 9613 90 00	20